Idaho Noxious Weeds

2007 Edition

Class 1
Statewide EDRR
(Early Detection/Rapid Response)
Noxious Weed List

Weeds listed in this section and identified within Idaho shall be eradicated during the same growing season as identified. Plants occurring in Idaho shall be reported to the Department within ten days (10) following positive identification by the University of Idaho or other qualified authority as approved by the Director.

1-1. Brazilian Elodea (Egeria densa)

1-2. Giant Hogweed (Heracleum mantegazzianum)

1-3. Hydrilla
(Hydrilla verticillata)



1-4. Policeman's Helmet (Impatiens glandulifera)

1-5. Squarrose Knapweed (Centaurea squarrosa ）

1-6. Syrian Beancaper (Zygophyllum fabago)

1-7. Tall Hawkweed (Hieracium piloselloides)

1-8. Water Hyacinth (*Eichhornia crassipes*)

1-9. Yellow Devil Hawkweed (Hieracium glomeratum)

Class 2
Statewide Control Noxious Weed List

Weeds listed in the control list are known to exist in varying populations throughout the state. The concentration of these weeds is at a level where control and/or eradication may be possible. A written plan for weeds on the Statewide Control Noxious Weed List must be developed by the control authority that specifies active control methods to reduce known populations in not more than five (5) years. The plan must be available to the Department upon request.

2-1. Black Henbane (Hyoscyamus niger)



2-2. Bohemian Knotweed (Polygonum bohemicum)

2-3. Bufflobur
(Solanum rostratum)



2-4. Common Crupina (Crupina vulgaris)

2-5. Dyer’s Woad (Isatis tinctoria)

2-6. Eurasian Watermilfoil (Myriophyllum spicatum)



2-7. Giant Knotweed (Polygonum sachalinense)

2-8. Japanese Knotweed (Polygonum cuspidatum)

Japanese Knotweed (Polygonum cuspidatum)
Photo by Lisa Gould



2-9. Johnsongrass (Sorghum halpense)

2-10. Matgrass (Nardus stricta)

2-11. Meadow Knapweed (Centaurea pratensis)

2-12. Mediterranean Sage (Salvia aethiopis)



2-13. Musk Thistle (Carduus nutans)





2-14. Orange Hawkweed (Hieracium aurantiacum)



2-15. Parrotfeather Milfoil (Myriphylum aquaticum)

2-16. Perennial Sowthistle (Sonchus arvensis)

2-17. Russian Knapweed (Acroptilon repens)

2-18. Scotch Broom (Cytisus scoparius)

2-19. Silverleaf Nightshade (Solanum elaeagnifolium)



2-20. Skeletonleaf Bursage (Ambrosia tomentosa)

2-21. Small Bugloss (Anchusa arvensis)

2-22. Toothed Spurge (Euphorbia dentata)



2-23. Vipers Bugloss (Echium vulgare)

2-24. Yellow Hawkweed (Hieracium caespitosum)

Class 3
Statewide Containment
Noxious Weed List

Weeds listed in the containment noxious weeds list are known to exist in various populations throughout the state. Weed control efforts may be directed at reducing or eliminating new or expanding weed populations while known and established weed populations, as determined by the weed control authority, may be managed by any approved weed control methodology, as determined by the weed control authority.

3-1. Canada Thistle (Cirsium arvense)



3-2. Dalmatian Toadflax (Linaria genistifolia ssp dalmatica)

3-3. Diffuse Knapweed (Centaurea diffusa)



3-4. Field Bindweed (Convolvulus arvensis)

3-5. Hoary Alyssum (Berteroa incana)



3-6. Houndstoungue (Cynoglossum officinale)

3-7. Jointed Goatgrass (Aegilops cylindrica)

3-8. Leafy Spurge (Euphorbia esula)



3-9. Milium (Milium vernale)



3-10. Oxeye Daisy (Chrysanthemum leucanthemum)

3-11. Perennial Pepperweed (Lepidium latifolium)

3-12. Plumeless Thistle (Carduus acanthoides)





3-13. Poison Hemlock (Conium maculatum)

3-14. Puncturevine (Tribulus terrestris)

3-15. Purple Loosestrife (Lythrum salicaria)

3-16. Rush Skeletonweed (Chondrilla juncea)

3-17. Saltcedar (Tamarix)



3-18. Scotch Thistle (Onopordum acanthium)

3-19. Spotted Knapweed (Centaurea maculosa)

3-20. Tansy Ragwort (Senecio jacobaea)

3-21. White Bryony (Bryonia alba)

3-22. Whitetop (Cardaria draba)



3-23. Yellow Starthistle (Centaurea solstitialis)

3-24. Yellow Toadflax (Linaria vulgaris)